


PROJECT 項目名稱	PROJ. # 項目編號	STAGE 階段
Yangon Pan Pacific Hotel, Myanmar 仰光泛太平洋酒店	HK-1410	Mock-up Package 樣板房階段

AREA 區域		FINISH 材料
Deluxe King & Typical Corridor Mock-up Room 標準大床房及走廊樣板房		Wood 木材
ISSUE DATE 發出日期	REVISION DATE 修改日期	VER 次數
30 June, 2015	17 July 2015, 15 March 2016	2 nd

ITEM NO. 編號	DESCRIPTION 詳細	SUPPLIER 供應商	IMAGE 圖樣
WD-100 (Rev. 2 nd)	Smoked Oak (Natural Finish) 煙薰色橡木直紋(開放漆) Thickness(厚度) : 3-6mm Size(呎吋): Refer to detail drawings Origin(產地): China @ Deluxe King (MUR) 標準大床房(樣板房) - general wood 大面積木飾面 @ Typical Corridor (MUR) 標準走廊(樣板房) - general wood 大面積木飾面	By Contractor 由承建商負責	
WD-101 (Add. 2 nd)	Dark Rosewood (Natural Finish) 深色檀木(開放漆) Thickness(厚度) : 3-6mm Size(呎吋): Refer to detail drawings Origin(產地): China @ Deluxe King (MUR) 標準大床房(樣板房) - furniture 傢俱	By Contractor 由承建商負責	

NOTE (S) 備註
<ul style="list-style-type: none"> * Contractors or manufacturers must submit samples for designer's approval prior to purchase order or production. 承辦商或製造商必須提供所有選定材料之樣板供設計師審核,方可進行訂購或生產 * Contractors should refer to plans, elevations & detail drawings for dimensions, material application and to verify with site measurements. 承辦商應核實應用細節及呎吋以最新之平面、立面及大樣圖顯示資料、對照現場條件方可制作/施工 * Wood color finish, grain gloss should stain to match CCD's sample 木飾面、顏色、油漆、紋理及光澤度必須跟 CCD 的樣板無異 * Wood to be protected with two coats clear non-yellowing polyurethane. 木飾面必須加兩層防變黃保護漆處理。 * Must be of contact quality and suitable for commercial use. 必須確保質量及合用於商業工程用途 * Contractor to provide appropriate penetrating, non-yellowing sealer to resist stain, alcohol and water absorption. 承建商需提供適當的防滲透密封技術,防止汙點和吸水率



PROJECT 項目名稱	PROJ. # 項目編號	STAGE 階段
Yangon Pan Pacific Hotel, Myanmar 仰光泛太平洋酒店	HK-1410	Mock-up Package 樣板房階段
AREA 區域	FINISH 材料	
Deluxe King & Typical Corridor Mock-up Room 標準大床房及走廊樣板房	Upholstery 布料	
ISSUE DATE 發出日期	REVISION DATE 修改日期	VER 次數
30 June, 2015	17 July 2015, 07 August 2015, 15 March 2016	3 rd

ITEM NO. 編號	DESCRIPTION 詳細	SUPPLIER 供應商	IMAGE 圖樣
UP-100 (Rev. 3 rd)	<p>Nella NE-3027 (Need Embroidery on fabric, pattern please refer to Designer's image) (布料須後加工做繡線效果，圖案須安 照設計師圖片) Width(闊度): Unbacked 56" Content(成份): 50% Polyethulene, 50% Polyester Wear Test(耐磨度): exceeds 200,000 rubs by wire screen Flammability(防火): ASTM-84 Tunnel Test Origin(產地): USA</p> <p>@ Deluxe King (MUR) 標準大床房(樣板房) - accent headboard wall 特色床頭牆身</p>	<p>Globalluck 高譽 Tel: (852) 2834-3486 Fax: (852) 2834-3426 E-mail: globalluck888@gmail.com Contact: Ms. Ruth Tam 譚小姐</p>	

NOTE (S) | 備註

- * Contractors or manufacturers must submit samples for designer's approval prior to purchase order or production.
承辦商或製造商必須提供所有選定材料之樣板供設計師審核,方可進行訂購或生產
- * Contractors should refer to plans, elevations & detail drawings for dimensions, material application and to verify with site measurements.
承辦商應核實應用細節及尺寸以最新之平面、立面及大樣圖顯示資料、對照現場條件方可制作/施工
- * Must be of contact quality and suitable for commercial use. All materials should comply with all state and local codes and standards.
必須確保質量及合用於商業工程用途。所有材料應該符合當地規律和標準。
- * Fabric must be treated for soil and stain repellency. All patterns to be matched at seams
布料必須經過防髒防汙處理。布料拼接處注意對接花型。
- * All fabric used for upholstery to be acrylic or knit backed.
所有用于室內裝潢的布料，需刷漿加襯布。
- * Leather must be full hides, top quality with no flaws except for natural markings that are acceptable. Fabricator to verify suitability of goods prior to cutting.
皮革必須是一流品質的，無斑點，除了些天然的劃紋，物料師在切割前需核實貨品(樣品)是否合適。
- * Material yardage requirement to be verified by fabricator
材料的數量由廠商審核。

PROJECT 項目名稱	PROJ. # 項目編號	STAGE 階段
Yangon Pan Pacific Hotel, Myanmar 仰光泛太平洋酒店	HK-1410	Mock-up Package 樣板房階段
AREA 區域	FINISH 材料	
Deluxe King & Typical Corridor Mock-up Room 標準大床房及走廊樣板房	Upholstery 布料	
ISSUE DATE 發出日期	REVISION DATE 修改日期	VER 次數
30 June, 2015	17 July 2015, 07 August 2015, 15 March 2016	3rd

ITEM NO. 編號	DESCRIPTION 詳細	SUPPLIER 供應商	IMAGE 圖樣
UP-101 (Rev. 3rd)	 Taste Life TL-K714 Non Woven Backing Width(闊度): 54" Content(成份): 100% polyethylene Wear Test(耐磨度): 100,000 cycles Flammability(防火): N/A Origin(產地): China 中國 @ Deluxe King (MUR) 標準大床房(樣板房) - TV wall 電視牆身 	 Globalluck 高譽 Tel: (852) 2834-3486 Fax: (852) 2834-3426 E-mail: globalluck888@gmail.com Contact: MR. Ernest Leung 梁先生 	 
UP-102 (Rev. 3 rd)	Jubilee Collection Pattern : Effervescence Color : Tonic 9627-09 Width(闊度): 137cm Content(成份): 73% Viscose, 16% Cotton, 11% Linen Wear Test (耐磨度): N/A Repeat(重複): N/A Flammability(防火): N/A Origin(產地): N/A @ Deluxe King (MUR) 標準大床房(樣板房) - bed headboard 床頭板	Spring Collection 永耀布藝 Tel: (852) 2836 9222 Fax: (852) 2836 9199 E-mail: spring01@netvigator.com Contact: MS. Nic Kwong 鄭綺文女士	

NOTE (S) | 備註

- * Contractors or manufacturers must submit samples for designer's approval prior to purchase order or production.
承辦商或製造商必須提供所有選定材料之樣板供設計師審核,方可進行訂購或生產。
- * Contractors should refer to plans, elevations & detail drawings for dimensions, material application and to verify with site measurements.
承辦商應核實應用細節及呎吋以最新之平面、立面及大樣圖顯示資料、對照現場條件方可制作/施工。
- * Must be of contact quality and suitable for commercial use. All materials should comply with all state and local codes and standards.
必須確保質量及合用於商業工程用途。所有材料應該符合當地規律和標準。
- * Fabric must be treated for soil and stain repellency. All patterns to be matched at seams
布料必須經過防髒防汙處理。布料拼接處注意對接花型。
- * All fabric used for upholstery to be acrylic or knit backed.
所有用於室內裝潢的布料, 需刷漿加襯布。
- * Leather must be full hides, top quality with no flaws except for natural markings that are acceptable. Fabricator to verify suitability of goods prior to cutting.
皮革必須是一流品質的, 無斑點, 除了些天然的割紋, 物料師在切割前需核實貨品(樣品)是否合適。
- * Material yardage requirement to be verified by fabricator
材料的數量由廠商審核。


PROJECT 項目名稱		PROJ. # 項目編號	STAGE 階段
Yangon Pan Pacific Hotel, Myanmar 仰光泛太平洋酒店		HK-1410	Mock-up Package 樣板房階段
AREA 區域		FINISH 材料	
Deluxe King & Typical Corridor Mock-up Room 標準大床房及走廊樣板房		Upholstery 布料	
ISSUE DATE 發出日期	REVISION DATE 修改日期		VER 次數
30 June, 2015	17 July 2015, 07 August 2015, 15 March 2016		3 rd

ITEM NO. 編號	DESCRIPTION 詳細	SUPPLIER 供應商	IMAGE 圖樣
UP-103 (Rev. 3 rd)	Nella NE-3027 Width(闊度): Unbacked 56" Content(成份): 50% Polyethylene, 50% Polyester Wear Test(耐磨度): exceeds 200,000 rubs by wire screen Flammability(防火): ASTM-84 Tunnel Test Origin(產地): USA @ Deluxe King (MUR) 標準大床房(樣板房) - luggage rack 行李架	Globalluck 高譽 Tel: (852) 2834-3486 Fax: (852) 2834-3426 E-mail: globalluck888@gmail.com Contact: Ms. Ruth Tam 譚小姐	
UP-104	Infiniss Dove 1105 Latte Width(闊度): 54" Content(成份): N/A Wear Test (耐磨度): N/A Repeat(重複): N/A Flammability(防火): N/A Origin(產地): N/A @ Deluxe King (MUR) 標準大床房(樣板房) - closet accessories 衣櫃內雜項	Artwright Selection Ltd. 雅為材料有限公司 Tel: (852) 2556-8100 Fax: (852) 2556-8993 E-mail: artwright@hk.super.net Contact: Mr. Eric Luk 陸萬雨先生	

NOTE (S) | 備註

- * Contractors or manufacturers must submit samples for designer's approval prior to purchase order or production.
承辦商或製造商必須提供所有選定材料之樣板供設計師審核,方可進行訂購或生產
- * Contractors should refer to plans, elevations & detail drawings for dimensions, material application and to verify with site measurements.
承辦商應核實應用細節及尺寸以最新之平面、立面及大樣圖顯示資料、對照現場條件方可制作/施工
- * Must be of contact quality and suitable for commercial use. All materials should comply with all state and local codes and standards.
必須確保質量及合用於商業工程用途。所有材料應該符合當地規律和標準。
- * Fabric must be treated for soil and stain repellency. All patterns to be matched at seams
布料必須經過防髒防汙處理。布料拼接處注意對接花型。
- * All fabric used for upholstery to be acrylic or knit backed.
所有用於室內裝潢的布料, 需刷漿加襯布。
- * Leather must be full hides, top quality with no flaws except for natural markings that are acceptable. Fabricator to verify suitability of goods prior to cutting.
皮革必須是一流品質的, 無斑點, 除了些天然的劃紋, 物料師在切割前需核實貨品(樣品)是否合適。
- * Material yardage requirement to be verified by fabricator
材料的數量由廠商審核。

PROJECT 項目名稱		PROJ. # 項目編號	STAGE 階段
Yangon Pan Pacific Hotel, Myanmar 仰光泛太平洋酒店		HK-1410	Mock-up Package 樣板房階段
AREA 區域		FINISH 材料	
Deluxe King & Typical Corridor Mock-up Room 標準大床房及走廊樣板房		Upholstery 布料	
ISSUE DATE 發出日期	REVISION DATE 修改日期		VER 次數
30 June, 2015	17 July 2015, 07 August 2015, 15 March 2016		3rd

ITEM NO. 編號	DESCRIPTION 詳細	SUPPLIER 供應商	IMAGE 圖樣
UP-105	Maharam Tek-Wall 1002 399594 Color: 016 Finish: PFOA-Free Stain Resistant Backing: Acrylic (Upholstered wall) Width(闊度): 54" Content(成份): 51% Polyolefin, 49% Polyester Wear Test (耐磨度): N/A Repeat(重複): N/A Flammability(防火): N/A Origin(產地): USA 美國 @ Deluxe King (MUR) 標準大床房(樣板房) - general wall 一般牆身	Fabricnation Ltd. Tel: (852) 2180-9373 Fax: (852) 2180-9330 E-mail: barry.lee@rabricnation.net Contact: Mr. Barry Lee 李先生	

NOTE (S) 備註
* Contractors or manufacturers must submit samples for designer's approval prior to purchase order or production. 承辦商或製造商必須提供所有選定材料之樣板供設計師審核,方可進行訂購或生產 * Contractors should refer to plans, elevations & detail drawings for dimensions, material application and to verify with site measurements. 承辦商應核實應用細節及尺寸以最新之平面、立面及大樣圖顯示資料、對照現場條件方可制作/施工 * Must be of contact quality and suitable for commercial use. All materials should comply with all state and local codes and standards. 必須確保質量及合用於商業工程用途。所有材料應該符合當地規律和標準。 * Fabric must be treated for soil and stain repellency. All patterns to be matched at seams 布料必須經過防髒防汙處理。布料拼接處注意對接花型。 * All fabric used for upholstery to be acrylic or knit backed. 所有用於室內裝潢的布料, 需刷漿加襯布。 * Leather must be full hides, top quality with no flaws except for natural markings that are acceptable. Fabricator to verify suitability of goods prior to cutting. 皮革必須是一流品質的, 無斑點, 除了些天然的割紋, 物料師在切割前需核實貨品(樣品)是否合適。 * Material yardage requirement to be verified by fabricator 材料的數量由廠商審核。